

SEQUENCE LISTING

<110> University of Maryland Biotechnology Institute

<120> Assay for Perkinsus in Shellfish

<130> 0432.025

<140>

<141>

<150> 08/900,117

<151> 1997-07-25

<150> 60/023,345

<151> 1996-07-26

<160> 18

<170> PatentIn Ver. 2.1

<210> 1

<211> 1150

<212> DNA

<213> Perkinsus marinus

<400> 1

```
aaagtcgcac ctttcccat aaacccctc cccacccctc tggacattgt tccacttttc 60
acttgatttg tgaagcacc aatgctagcc catagaacag tccagtagtt caatagagag 120
actagtgaac atagtttata acattgtcca aggggtggag ggggatgcgc gaaatcgatg 180
tgcacgtttg gtcaaagatg ctgcgaaag ctgcacatca atttcgcaca tgggcgaaat 240
tgacttgacg gtgggtataa aagttgatgt aggccatgtg gctcgatttc aaccatatgg 300
gtatgcttct gaggatgggg tgttacagtg gaccatatga ggtaggtcat ttggagatgt 360
caccaaaatg gtctaaatct gcgcattcca ttttaagtga ttttaagtga atttaagtga 420
attttactta aaattgacct ttttcgttgc gcagatttgg ggtggtgatg ggtgacgcgg 480
cgaatttttt aaaaaagagg tatatcgcgt gctatttgta tttttggtat caccgcgtca 540
ccaatcacca ttgacggttt ctttttcgaa gtttttcgag attattgcat tttttatata 600
attgtgggtg gctgattctt gcgaaaggac tgttgtgatg tccgagttcc caaattggga 660
gtttttggac atcactcctg atctgccggc ggcatcagg atgactgaca tttcgatata 720
ttttgggtat tcgatagctg ccaaactcgt cagcgtcgag tattccggtt tattcgaagg 780
attcatgata ttgcaaaata tcattgattt tcatggggtt ttgtattagt acccgctcat 840
tgtgggaaag tcgggtggat ttatcttacc cgcaaacta atacaagatt tgcattgatg 900
agcaatagac caaggttagt atagcagttg tatttatatg actagttatg caaacctttt 960
gtgttttttg ttgcgactct tggcgtgaac cggaagaccg gacctcgctt tcgactattc 1020
atctttgatg gatatgagat cgcaagggtg tcgcttcgtg cgatatttag tgaccatcag 1080
agcacgctac gacttttgat tatatccttg gatttaatcg gaagctcgca agcattgcat 1140
tgatgcaatc                                     1150
```

<210> 2  
 <211> 1550  
 <212> DNA  
 <213> Perkinsus sp.

<220>

<223> The nucleotide sequence of the NTS of rRNA of  
 P.andrewsi, isolated from Macoma balthica

<400> 2

```

ttttcatttt tgctttcaca accccgcacc ccatgtacaa tgttgccaac cactagagtt 60
tcaacaacat tcggatttga caacatgtca acaattcaca acagaaattg acaacattgt 120
cacaaattct caaattggac aacattggac aaaaattcac aacatacatt ggacaacagt 180
ggacaacgaa cccaaaccg acaacattgt ccagggggat agggggtgaa aaagcagtgc 240
cggcaaagtc gaaagatgtc aagttggaat gcgggtcaaa ttcgtcattt gtgtaaatcc 300
gcaattttgc caatgtgcaa ttttgcaaat gtgcaatttt gcaaatgtgc aattttgcca 360
atgtgcaatt ttgcaaatgc gcaattttgc aaatccgcaa ttttgcaaat gtgcaatttt 420
ggaaaatcac caaatgaaaa tcgtccaagt cgaattggag gcgtggtgac atggtcccgg 480
gatcccctgg ttacagtgga caatatccca gcaatattcg ctgtaatttg gagtttcgct 540
gttttggaat attttgagtc tgaaaaaaa aattgcaaat gcgcaaaggg ggtgaaggaa 600
aaaaaagcac cccgaaggt aaaattccct ttaagtcctt tgcgcatttg caaaattttc 660
aaaaattggt gcaaatgcgc ttttgttatt tggccgggtt attggtgtca aaagttgcct 720
ggggtggtta cacaatgcac ggaattggtt ggaagtgtg tgattgaaaa ttggtcgtgt 780
cacacaattt tgcgcatatt caaaaattcg caaattggac aaaaaagggc cgcgcacagt 840
caaattgcgc aaatttcact ttgaagttag tgcgcatatt tggggcagaa atgtggtgac 900
agcatcgttt ttataataa atattctata ttagtatctt ttattataat ttgctgtcac 960
caatcaccat tttagaattt ttattttttt atgttttagt gaccgcggga ttttttgcaa 1020
agtactatyg tgatgtttga gttgtttgaa atgggcaatt tagaacatca tcagaaatcg 1080
ctgaatagtg atttttgagt ttgactgttt gaagtgtttt gggatattcg cagctgcaa 1140
atcggtcagc gtgcaatata atagcatttt tgtgtgtata tgatatttag cgatatcatt 1200
ggaatcatgg ggttttgtat tagtaccgcg tcattgtggg aatgtcgggt ggttcaatat 1260
cacctgcaaa tttaatacag gatttgcatt atgcagcgac tgaccggggg tgggtataata 1320
gctgattatt cggttatta tgcagacctt tcgtgttagt agttgcgact cttggcgtga 1380
accggaagac cggaacttga attcgactat ttacgtccgt aaacaggaga tttcaagaat 1440
attgcacatt ttgcgtgata taaacgtgat catctgagca cgcttcgact cttggatatc 1500
tgctaatacag ccgtcatctg agagctcgca agcattgcaa ttgatgcaat 1550

```

<210> 3  
 <211> 1413  
 <212> DNA  
 <213> Perkinsus sp.

<220>

<223> The nucleotide sequence of the NTS of rRNA of  
 Perkinsus mackini, isolated from Mercenaria  
 mercenaria

<400> 3

```
cgtgcccttt tcacgaattc acagccccgc accccatgta caatgttgcc cacccgaaat 60
gcctgcctgc ccaccgaaa tgcccgaaat gcccgtaga aaaagtatgc gaaaagttct 120
tgtcaatttt gacagtgtgt gaaaaaactg aaaaagtcca ctcaacattg cattatgcaa 180
tttgccactc aacattgtcc agggggatag ggggtgaaaa agtatcgag tccaactgaa 240
aagatgctaa gttgaaatgc ggcgcaaatt catcacttga gttgcaaaa tccctaaagt 300
cgaatttggc actcggtgac atgatcggga atttccctgg ttacagtggg caaatcccag 360
caattttggc aaagtttttg agtttcgcac ttttcgcaaa tttcgtgtct gaaaaaaaaa 420
tttcaacttt gcgcaaagg gtcaaaggga aaaaagcac cctcaaaagg aaatttcct 480
ttaatccctt ttgaaaaaaa tgcgcaaagt taaatttgcg aaaatttcga tttctcata 540
tgaccgatta gttggtgcca gatggtagtc gggatggtta cacggtgcac ggaactcgtt 600
ggaagtcttg gagttacgaa ttggtcccgt caccacaatt tgcgcatttt tgaaattgcg 660
caaatttgcg aaaaaagcag cgcgcaaagt taaattgtgc gaaaattgac tttcaggtcg 720
gtgcgcaaat ttggggtgaa aaagtgggtga cagcatcaga attataataa ataactata 780
atctagttct tttattataa ttagctgtca ccaatcacca tttgagattt tttatttttt 840
tatgttttag tgaccgcggg attttttcca gactactatc gtgatgtctg agttgtctaa 900
aacggcaatt tcagaacatt accagaaaac actgaatagt ggtttctgag tctgactgtt 960
tgaagtgttt tgggtattcg gcagctgcca attcggtcag ggttgaatat actaacattt 1020
ctgtgtgtat atggtattta gcgatcat tggaatcatg gggttttgta ttagtaccg 1080
ctcattgtgg gaaagtcggg tgggtcaata tcacctgcaa atttaataca ggatttgcatt 1140
gatgcagcga ctgaccggg ttagtataat agctgattat tcggcttatt atgcagacct 1200
atcgtgttag tagttgcgac tcttggcgtg aaccggaaga ccggaacttg atttcgacta 1260
tttacgtccg taacacgtcc gtaaacagga gatttcaaga atattgcaca ttttgtgtga 1320
tataatcgtg atcatctgag cacgcttcga ctcttgaata tttgttaaac aaccgatatt 1380
cgggagctcg caagcattgc aattgatgca atc 1413
```

<210> 4

<211> 20

<212> DNA

<213> *Perkinsus marinus*

<220>

<223> Forward primer

<400> 4

cacttgtatt gtgaagcacc

20

<210> 5

<211> 21

<212> DNA

<213> *Perkinsus marinus*

<220>

<223> Reverse primer

<400> 5  
gtcatttgga gatgtcacca a

21

<210> 6  
<211> 20  
<212> DNA  
<213> Perkinsus marinus

<220>  
<223> Forward primer

<400> 6  
atgctagccc atagaacagt

20

<210> 7  
<211> 20  
<212> DNA  
<213> Perkinsus marinus

<220>  
<223> Reverse primer

<400> 7  
atgctagccc acatcacagc

20

<210> 8  
<211> 22  
<212> DNA  
<213> Perkinsus atlanticus

<220>  
<223> Forward primer

<400> 8  
atgctatggt tggttgcgga cc

22

<210> 9  
<211> 20  
<212> DNA  
<213> Perkinsus atlanticus

<220>  
<223> Reverse primer

<400> 9  
gtagcaagcc gtagaacagc

20

<210> 10  
<211> 24  
<212> DNA  
<213> Perkinsus sp.

<220>  
<223> NTS7 forward primer for Perkinsus andrewsi

<400> 10  
aagtcgaatt ggaggcgtgg tgac

24

<210> 11  
<211> 20  
<212> DNA  
<213> Perkinsus sp.

<220>  
<223> NTS6 reverse primer for Perkinsus andrewsi

<400> 11  
attgtgtaac caccccaggc

20

<210> 12  
<211> 19  
<212> DNA  
<213> Perkinsus sp.

<220>  
<223> Generic forward primer PER1 for P.marinus,  
P.atlanticus and P.andrewsi

<400> 12  
tagtaccgc tcattgtgg

19

<210> 13  
<211> 17  
<212> DNA  
<213> Perkinsus sp.

<220>  
<223> Generic reverse PER2 primer for P. marinus, P.

atlanticus and P. andrewsi

<400> 13

tgcaatgctt gcgagct

17

<210> 14

<211> 22

<212> DNA

<213> Perkinsus sp.

<220>

<223> Forward SSU3F primer for P. andrewsi

<400> 14

agttggattt ctgccttggg cg

22

<210> 15

<211> 22

<212> DNA

<213> Perkinsus sp.

<220>

<223> Forward SSU4F primer for P.andrewsi

<400> 15

accaggtcca gacataggaa gg

22

<210> 16

<211> 712

<212> DNA

<213> Perkinsus sp.

<220>

<223> A nucleotide sequence of the ITS1-5.8. S ITS2  
regions of P.andrewsi

<400> 16

acaccgattc attctctgag aaaccagcgg tctctgtaaa aggagatggg atctccgctt 60  
tgtttagatc cccacacctg accgctttaa cgggccgggt aggtgcataa cttctatgaa 120  
ccaattgtac tagtctaaag tatccaatat ccttttggat tttggtattt caaaacgaaa 180  
ttccaaactc tcaacgatgg atgcctcggc tcgagaatcg atgaaggacg cagcgaagtg 240  
cgataagcac tgcgatttgc agaattccgt gaaccagtag aaatctcaac gcatactgca 300  
caaaggggat ttatcctctt tgtacatata tatcagtgtc gctcttcttc ccgatacaaa 360  
cattttgttg atttacaatc aacattatgc tttgtatccc gcttggattc ctttattggg 420  
atccgctgtg tgcgcttgct gacacaggcg cattaatttg caaggctata atactactgt 480

actgtagccc cttcgcaaga aggactgcgc tagtgagtat ctttgatgc tgcgaactc 540  
gactgtgttg tggttgattc cgtgttcctc gatcacgcga ttcacgcgtt caacgcatta 600  
tgtcaaatTT gatgaatgca gagagttgtt tatgaattac ggcacgcgtt tggctctcaga 660  
atcgttacta tagcacgcgtt gtcggtttgc aacctggcaa tatgtcatca tt 712

<210> 17

<211> 1808

<212> DNA

<213> Perkinsus sp.

<220>

<223> A nucleotide sequence of the SSU rRNA of  
P.andrewsi

<400> 17

acctggttga tccctgccagt agtcatatgc ttgtctcaaa gattaagcca tgcattgtcta 60  
agtataagct ttaaaccggcg aaactgcgaa tggctcatta aaacagttat agttttatttg 120  
gtgatcgatt actatttggg taaccgtagt aattctagag ctaatacatg cgtcaaggcc 180  
cgacttcgga agggctgcgt ttattagata cagaaccaac ctactccttg 240  
ttggtgattc ataataaccg ggcgaatcgc acggcttgtc cggcgatgga ccattcaagt 300  
ttctgacctc tcagctatgg acggtagggg attggcctac cgtggcgttg acgggtaacg 360  
gggaattagg gttcgattcc ggagagggag cctgagaaac gactaccaca tctaagggaag 420  
gcaacaggcg cgcaaatatt ccaatcctga tacagggagg tagtgacaag aaataacaat 480  
acagggcaat tctgtcttgt aattggaatg agtagatttt aaatctcttt acgagtatca 540  
attggagggc aagtctggtg ccagcagccg cggtaattcc agctccaata gcgtatatta 600  
aagttgttgc ggttaaaaag ctctgtagttg gatttctgcc ttgggcgacc ggtccacctt 660  
tcctacgggt taggttggta ccaggtttga ccttggcttt ttcttgggat tcgtgctcac 720  
gcacttaact gtgcgctgac cgtgttccaa gacttttact ttgaggaaat tagagtgttt 780  
caagcaggct tatgccgtga atacattagc atggaataat aggatatgac tttggtcata 840  
ttttgttggg ttctaggact gaagtaatga ttaatatgga cagtcggggg cattcgtatt 900  
taactgtcag aggtgaaatt cttggatttg ttaaagacga actactgca aagcatttgc 960  
caaggatgtt ttcattgatc aagaacgaaa gttaggggat cgaagacgat cagataccgt 1020  
cctagtctta accataaact atgccgacta gggattggga gtcgttaatt ttagacgctc 1080  
tcagcacctc gtgagaaatc aaagtctttg ggttcocggg ggagtatggt cgcaaggctg 1140  
aaacttaaaag gaattgacgg aagggcacca ccaggagtgg agcctgcggc ttaatttgat 1200  
tcaacacggg aaaactcacc aggtccagac ataggaagga ttgacagatt gatagctctt 1260  
tcttgattct atgggtggtg gtgcatggcc gttcttagtt ggtggagtga tttgtctggt 1320  
taattccgtt aacgaacgag accttaacct gctaaatagt tgcgtgaaat cttgtatttc 1380  
accgtactt cttagaggga ctttgtgtgt ttaacacaag gaagcttgag gcaataacag 1440  
gtctgtgatg cccttagatg ttctgggctg cacgcgcgct acactgacac gatcaacgag 1500  
tatttccttg cccggtaggg ttagggtaat cttttgaaat cgtgtcgtgc tagggataga 1560  
cgattgcaat tattcgtctt caacgaggaa ttcctagtaa atgcaagtca tcagcttgcg 1620  
ttgattacgt ccctgccctt tgtacacacc gccgcgtcgt cctaccgatt gagtgatccg 1680  
gtgagctgtc cggactgcga ttagttcagt ttctgttctt ttccggggaa gttctgcaaa 1740  
ccttatcact tagaggaagg agaagtcgta acaaggtttc cgtagggtgaa cctgcagaag 1800  
gatcattc 1808

<210> 18

<211> 1147

<212> DNA

<213> *Perkinsus atlanticus*

<220>

<223> A nucleotide sequence of the NTS of rRNA of *P.*  
*atlanticus*

<400> 18

```
tcttttttaa tgcactcat ggcttgtgca tgcgtgcaag ccccgaggc cccctggaca 60
atgttatccc agctcaacaa cgagcaacag tgctatggca agtagtcac tagagagcca 120
agtcgacaat ctctacaaca ttgtccaagg gggaaagggg ggcgcgcgaa gttgacctgc 180
agcagagggg aaagatgctg agttttgctg caccccaact ttgcgcactt ggcgaagttg 240
acttgcaggc gagggtaaaa gatgctatgg ttggttgcgg accaagttcg ccgtgtgggt 300
catcattatc gaggtctgtg gtgacgatgg actagttttt agggattttc cggaggtgtc 360
accacggacc ccccaacttt gcgcacgggg ggtactcaat ttttaagtga atttaagtaa 420
aatttactta aaattcacgt ttttgggtgc gcaaagttga ggtggtgact ggtgacacga 480
aaattttaaa aaagagagat attaaaaaaa tatttatatt ttctgtgtca ccgtgtcacc 540
agtcaccaca gggcgtaatt ttccgggaaa ttttcagatt ttccggaaaa attgcatttt 600
ggggtaaata gtgtccgtca gaattttgcc aaaggactgt cgtgatgtcc gagttcccaa 660
attgaggggt tttggacatc gctctgaaat cgctaacggc gtttcagatt tccgactttt 720
cgacatattc tgggtatttg atagctgcc aatcggtcag cgtcgaatat tccaatattt 780
cgaaggatat atgatatcgc gagatatcat tggatttcat ggggttttgt attagtacc 840
gctcattgtg ggaaagtcgg gtgaatttat tcaaccgcga aatctaatac aagatttgca 900
tgatgcagcg actgaccggg gtgagtgtag cagctgttct acggcttgct acgcagacct 960
atcgtgttag tagttgcgac tcttggcgtg aaccggaaga ccggacctcg ctttcgacta 1020
ttcattccga tgaatatgag attgcaaggg tatcgcttcg tgcgatattt agtgatcatc 1080
agagcacgct acgacttcag tatatcctcg gatacacaga agctcgcaag cattgcatga 1140
tgcaatc                                     1147
```